



fleabeetles
Insecticidal soap/plant crops later in season



Western Grapeleaf Skeltonizer-
cut off leaves/and skeltonize leaves of grapes-use Bt



squash bug nymphs-
cover with row cover and inspections



squash bug adult/eggs
eggs to nymphs-7-10 days-hand pick



squash vine borer-
cover with row cover, put foil around base
of vine/bury vines



tomato hornworm-
handpick



aphids-
use insecticidal soap and Neem together



aphid damage-leaf curl



leafhopper-
Create a physical barrier with row cover
from May -mid-July



leafhopper damage-curly top virus



cabbage looper-
Spray with Bt



grasshopper
Nolo Bait must be used at the first sign of
grasshoppers to be effective or
use Basic Age with kelp as a spray



Harlequin bugs
Neem



Harlequin leaf damage



leafminer damage
row cover/neem



Rollie Polly
Sluggo PLUS/use when planting seeds or
transplanting seedlings



cutworm
physical barrier/Sluggo PLUS



white grub/NOT HARMFUL



spotted or striped cucumber beetle
vermicompost fertilizer/Neem oil/ causes bacterial wilt to plants



Thrips
row cover or Neem



Colorado Potato Beetle
row cover



spider mites
Neem



ants
Spinoad